

## LOT125 Mule Fuel

 Sample ID: BIA250312S0026  
 Strain: LOT125MF

 Matrix: Plant  
 Type: Flower - Cured  
 Sample Size: 6.35 g  
 Lot#:

 Produced:  
 Collected:  
 Received: 03/13/2025  
 Completed: 03/20/2025  
 Batch#:

 Client  
**High Priestess**  
 Lic. # Sclt0224  
 PO Box 1978  
 Brattleboro, VT 05302


### Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	03/17/2025	Complete
Moisture	03/13/2025	10.50% - Complete
Water Activity	03/13/2025	0.523 aw - Complete
Terpenes	03/17/2025	Complete
Microbials	03/20/2025	Complete

### Cannabinoids

Completed

23.91%		0.09%		29.01%	
Total THC		Total CBD		Total Cannabinoids	
Analyte	LOQ	Results	Results	Mass	
	mg/g	%	mg/g	mg/serving	
CBDVa	0.0005	<LOQ	<LOQ		
CBDV	0.0012	<LOQ	<LOQ		
CBDa	0.0008	0.10	1.0		
CBGa	0.0008	1.70	17.0		
CBG	0.0019	<LOQ	<LOQ		
CBD	0.0019	<LOQ	<LOQ		
THCV	0.0021	<LOQ	<LOQ		
CBN	0.0013	<LOQ	<LOQ		
Δ9-THC	0.0020	0.44	4.4		
Δ8-THC	0.0019	<LOQ	<LOQ		
Δ10-THC	0.0002	<LOQ	<LOQ		
CBC	0.0024	<LOQ	<LOQ		
THCa	0.0034	26.77	267.7		
<b>Total THC</b>		<b>23.91</b>	<b>239.11</b>		
<b>Total CBD</b>		<b>0.09</b>	<b>0.91</b>		
<b>Total</b>		<b>29.01</b>	<b>290.08</b>	<b>0.00</b>	

Analyst: 056

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

$$\text{Total THC} = (\text{THCA} \times 0.877) + \Delta 9\text{-THC}$$

$$\text{Total CBD} = (\text{CBDA} \times 0.877) + \text{CBD Reagent}$$

Blanks: &lt; LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (&lt;LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




 Luke Emerson-Mason  
 Laboratory Director  
 03/20/2025

 Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)


## LOT125 Mule Fuel

 Sample ID: BIA25031250026  
 Strain: LOT125MF

 Matrix: Plant  
 Type: Flower - Cured  
 Sample Size: 6.35 g  
 Lot#:

 Produced:  
 Collected:  
 Received: 03/13/2025  
 Completed: 03/20/2025  
 Batch#:

 Client  
**High Priestess**  
 Lic. # Sclt0224  
 PO Box 1978  
 Brattleboro, VT 05302

### Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
$\alpha$ -Pinene	0.010	7.103	0.710
$\beta$ -Myrcene	0.010	5.127	0.513
$\beta$ -Pinene	0.010	3.367	0.337
Limonene	0.010	2.658	0.266
$\beta$ -Caryophyllene	0.010	1.569	0.157
Ocimene	0.010	1.266	0.127
$\alpha$ -Humulene	0.010	0.655	0.065
Eucalyptol	0.010	0.112	0.011
Camphene	0.010	0.067	0.007
Linalool	0.010	0.057	0.006
Terpinolene	0.010	0.041	0.004
$\alpha$ -Bisabolol	0.010	0.030	0.003
$\gamma$ -Terpinene	0.010	0.027	0.003
$\alpha$ -Terpinene	0.010	0.016	0.002
3-Carene	0.010	0.014	0.001
Caryophyllene Oxide	0.010	<LOQ	<LOQ
cis-Nerolidol	0.010	<LOQ	<LOQ
Geraniol	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
<b>Total</b>		<b>22.109</b>	<b>2.211</b>

### Primary Aromas

 Pine	 Hops	 Orange	 Cinnamon	 Earthy
---	---	---	---	---

Analyst: 048

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (&lt;LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: &lt; LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




 Luke Emerson-Mason  
 Laboratory Director  
 03/20/2025

 Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)


**LOT125 Mule Fuel**Sample ID: BIA250312S0026  
Strain: LOT125MFMatrix: Plant  
Type: Flower - Cured  
Sample Size: 6.35 g  
Lot#:Produced:  
Collected:  
Received: 03/13/2025  
Completed: 03/20/2025  
Batch#:Client  
**High Priestess**  
Lic. # Sclt0224  
PO Box 1978  
Brattleboro, VT 05302**Pathogens**

Completed

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018

Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (&lt;LOD).

Reagent Blanks: &lt;LOD for all analytes

Luke Emerson-Mason  
Laboratory Director  
03/20/2025Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)